



License No. 59478 to mark a commodity with the Standards Mark

The Standards Institution of Israel (SII), in accordance with the powers vested in it by article 11(b) of the Standards law 1953, hereby grants permission to:

HOFIT BY HULIOT GROUP LTD.

Kibbutz Kinnereth, Israel

to place the Standards Mark on the commodities covered by the standard:
**Plastics Piping Systems For Non-pressure Underground Drainage And Sewerage-
unplasticized Poly (vinyl Chloride)(pvc-u),polypropylene(pp) And
Polyethylene(pe):inspection Chambers To A Maximum Depth Of 1.25 M**

(list of types attached)

**These commodities are produced in conformity with the requirements of the
Israel Standard No. 13598 Part 1 Edition July 2011**

This license has been granted subject to the terms of the Standards Regulation (standard mark and supervision sign) 1982, and the terms that the License Committee has determined, which constitute an integral part of this license. This license does not detract from any obligation, or other order, imposed by law on the abovementioned commodities

This certificate remains the property of SII. Its continued validity may be verified via scanning the barcode or via the SII website www.sii.org.il.

This license is valid until 31/12/2026

Date of License : 01/01/2026



R.N 514454446

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



Annex A: License No. 59478

Factory: HOFIT BY HULIOT GROUP LTD.

Commodities: Plastics Piping Systems For Non-pressure Underground Drainage And Sewerage-unplasticized Poly (vinyl Chloride)(pvc-u),polypropylene(pp) And Polyethylene(pe):inspection Chambers To A Maximum Depth Of 1.25 M

Models:

1. Riser Shaft D450 H200 mm PE Rotational method for depth of 1.25 m, Class E600 one unit.SS E600
2. Riser Shaft D450 H500 mm PE Rotational method for depth of 1.25 m, Class E600 , one unit.
3. Base Component D 600 H 600 mm PE Injection molding method for depth of 1.25 m, Class E600, Injected fitting connected by welding only.
4. Riser Shaft D 600 H 200 mm PE Injection molding method for depth of 1.25 m,Class E600,Injected fit tings connected by welding only.
5. Riser Shaft D 600 H 400 mm PE Injection molding method for depth of 1.25 m,Class E600,Injected fit tings connected by welding only.

This license is valid until 31/12/2026

Date of License : 01/01/2026



R.N 514454446

Dr. Gilad Golub
CEO



Annex A: License No. 59478

Factory: HOFIT BY HULIOT GROUP LTD.

Commodities: Plastics Piping Systems For Non-pressure Underground Drainage And Sewerage-unplasticized Poly (vinyl Chloride)(pvc-u), polypropylene(pp) And Polyethylene(pe):inspection Chambers To A Maximum Depth Of 1.25 M

6. Riser Shaft D 600 H 200 mm PE Rotational method for depth of 1.25 m, Class E600
7. Riser Shaft D 600 H 400 mm PE Rotational method for depth of 1.25 m, Class E600
8. Plastic base component 45 cm H50 cm. PE Injection molding method, for depth of 1.25 m, Class E600
9. Riser Shaft D 600 H 200 mm PE Rotational method for depth of 1.25 m, Class E600
10. Riser Shaft D 600 H 400 mm PE Rotational method for depth of 1.25 m, Class E600

This license is valid until 31/12/2026

Date of License : 01/01/2026



R.N 514454446

Dr. Gilad Golub
CEO